

ZSIVIROL RC33

Synthetic Fat Liquor

Chemical composition	Blend of Synthetic Oil and softeners
Fattening substance	55 ± 2%
Appearance	Pale Brown to Red oil /semi fluid
pH - value 1 : 10	5.5 – 7.0
Charge	Anionic
Stability to electrolytes	Stable to acids and salts under usual tannery conditions. Stable in chrome liquors
Shelf life	Up to 10 months from the date of manufacture
Dilution	Combinations with other fatliquors have to be stirred thoroughly before dilution. Dilution method: 1 : 3 with water of 50 - 60° C.

Field of application:

ZSIVIROL RC 33 is mainly used for all types of nappa and gloving where pronounced inner softness and smooth touch is required .

Properties and Application:

- » ZSIVIROL RC 33 gives excellent inner softness to the leather.
- » Good light fastness.
- » Provides Fullness and smooth touch.
- » Best for light weight leathers.

Usage Quantities:

Garment leather : Upto 7 %
Glove leather : 4% - 6%
Upholstery/ Upper : Upto 8%