

ZSIVIRA

ZSIVIROL GL6

Chemical composition	Blend of Oil and Hydrocarbons
Appearance	Pale Beige Semi Viscous Paste
pH - value 1:10	$5. \theta - 6. \theta$
Charge	Anionic
Stability to electrolytes	Stable to acids and salts under usual tannery conditions. Stable in chrome liquors
Shelf life	Up to 1 year at temperatures between 5 and 40° C.
Dilution	Combinations with other fatliquors have to be stirred thoroughly before dilution. dilution method: $1:3$ with water of $50-60^\circ$ C.

Field of application:

ZSIVIROL GL6 is mainly used for all types of leathers where pronounced bounciness with softness is required without looseness.

Properties and Application:

- > ZSIVIROL GL6 gives excellent bounciness to the leather with very smooth touch.
- > Very Good light fastness
- > Provides Softness with fullness and bounciness.
- > Best for light weight leathers.
- > Provides leathers without looseness as it has good filling action.
- > Best for upper, tight nappa, upholstery, split suede and Nubuck leathers.

The above information on application on leather is given in accordance to the best of our knowledge and our lab applications. As the usage of the product by the consumer is not under our control, we are not liable for any sort of claims or reimbursements. The product is given without any guarantee/warranty in connection to end use.



ZSIVIRA

ZSIVIROL GL6

Usage Quantities:

Garment leather: Upto 4 %

Tight Nappa leather: 4% to 6%

Upholstery / Shoes : Upto 7%

Split Suede : Upto 6%

Note: The product being combination of various raw materials, there are Chances of variations in colour and viscosity. The property and Application of the product will remain same.

The above information on application on leather is given in accordance to the best of our knowledge and our lab applications. As the usage of the product by the consumer is not under our control, we are not liable for any sort of claims or reimbursements. The product is given without any guarantee/warranty in connection to end use.