



ZSIVIRA

ZSIVITAN HPU

Hydrolysed Polymer

Chemical composition	Condensation of Hydrolysed Polymers
Activity	97 %
Appearance	Pale Beige Powder
pH - value 1 : 10	7.5 to 8.0
Charge	Anionic
Shelf life	Up to 10 months from the date of manufacture
Dilution	Added Undiluted

Field of application :

For all kinds of leather where special over all filling and more particularly filling on belly and shanks is required. Can be used in Retanning and also in Fatliquoring.

Properties :

- » ZSIVITAN HPU penetrates into the leather through grain side and fills up the loose portions thoroughly and even fills those portions, where Acrylic polymers cannot penetrate deeply.
- » Avoids looseness and gives compact grain without hardening the grain.
- » Excellent Light Fastness.
- » Does not yellow on heating / plating.
- » Provides Excellent Buffing property.
- » Best for Chrome - Free Leathers.

Usage Quantities:

Normally Up to 6% is given depending upon leather and tannage.

Note : The product being combination of various raw materials, there are chances of variations in colour and viscosity. The property and application of the product will remain same.
Store within 5°C to 35°C in original pack with tightly closed.

The above information on application on leather is given in accordance to the best of our knowledge and our lab applications. As the usage of the product by the consumer is not under our control, we are not liable for any sort of claims or reimbursements. The product is given without any guarantee/warranty in connection to end use.

ZSIVIRA CHEMIE MERK PRIVATE LIMITED

www.zsiviraindia.com | info@zsiviraindia.com